

DIVISION OF MINING, LAND AND WATER
WATER RESOURCES SECTION

<http://www.adnr.state.ak.us/mlw/water/>



Anchorage Office 550 West 7 th Ave, Suite 1020 Anchorage, AK 99501-3562 (907) 269-8600 Fax: (907) 269-8904	Juneau Office PO Box 111020 Juneau, AK 99811-1020 400 Willoughby, #400 (907) 465-3400 Fax: (907) 586-2954	Fairbanks Office 3700 Airport Way Fairbanks, AK 99709-4699 (907) 451-2705 Fax: (907) 451-2703	For ADNR Use Only Date/Time Stamp
TWUP / ADL / LAS #		For ADNR Use Only Receipt Type WR	

REQUEST FOR EXTENSION OF PERMIT OR AUTHORIZATION

Check box that applies:

- Construction of water withdrawal, conveyance, and use structures authorized under the above-numbered Permit to Appropriate Water, of which I am the lawful holder, is not complete and/or beneficial use of water is not fully established. Note: Permit holder must show diligent effort toward development of the authorized beneficial use.
- The project for which water use was authorized under the above-numbered Temporary Water Use Authorization is not complete.

<i>CURRENT WATER USE</i>		
Amount(s) of Water Use	Type(s) of Water Use	Water Use Period(s)

If structures are different from those listed on your Permit to Appropriate Water or Temporary Water Use Authorization, then attach sketch or plans of structures for withdrawing, conveying, and using water.

Description of Structures Already Completed
Description of Structures to Be Installed

Reason Work Has Not Been Completed
Estimated Date of Completion

AS 38.05.035(a) authorizes the director to decide what information is needed to process an application for the sale or use of state land and resources. This information is made a part of the state public land records and becomes public information under AS 40.25.110 and 40.25.120 (unless the information qualifies for confidentiality under AS 38.05.035(a)(8) and confidentiality is requested, AS 43.05.230, or AS 45.48). Public information is open to inspection by you or any member of the public. A person who is the subject of the information may challenge its accuracy or completeness under AS 44.99.310, by giving a written description of the challenged information, the changes needed to correct it, and a name and address where the person can be reached. False statements made in an application for a benefit are punishable under AS 11.56.210. In submitting this form, the applicant agrees with the Department to use "electronic" means to conduct "transactions" (as those terms are used in the Uniform Electronic Transactions Act, AS 09.80.010 – AS 09.80.195) that relate to this form and that the Department need not retain the original paper form of this record: the department may retain this record as an electronic record and destroy the original.

<i>SIGNATURE</i>	
I hereby apply for an extension of time to complete construction of the structures and/or establish full beneficial use of water.	
<hr style="border: 0; border-top: 1px solid black; margin-bottom: 5px;"/> Signature	<hr style="border: 0; border-top: 1px solid black; margin-bottom: 5px;"/> Date

<p>Fees required by regulation 11 AAC 05.260</p> <p><u>Permit to Appropriate Water</u></p> <ul style="list-style-type: none"> • \$50 for one single-family residence or duplex, or for water use associated with one single-family residence or duplex • \$450 for up to 18 hours of staff time, for activities related to oil and gas and associated substances • \$450 for up to 18 hours of staff time, for activities related to locatable mining • \$450 for up to 18 hours of staff time, for hydroelectric power generation • \$450 for up to 18 hours of staff time, for water removal out of a hydrologic unit under AS 46.15.035 or 46.15.037 • \$125 for 5,000 GPD or less for a use not listed above • \$250 for greater than 5,000 GPD for a use not listed above <p><u>Temporary Water Use Authorization</u></p> <ul style="list-style-type: none"> • \$350 for up to 14 hours of staff time, for all uses of water from up to five water sources <p>If paying by check, please make checks payable to "Department of Natural Resources."</p>
--